

European Journal of Vascular & Endovascular Surgery

Volume 48 • Issue 4 • 2014
CONTENTS

EDITORIAL

- 361 Benefit of Catheter-directed Thrombolysis for Acute Iliofemoral DVT: Myth or Reality?
N. Bækgaard

AORTIC DISEASE

- 363 Mid-term Outcomes and Aortic Remodelling After Thoracic Endovascular Repair for Acute, Subacute, and Chronic Aortic Dissection: The VIRTUE Registry
The VIRTUE Registry Investigators

Patients with subacute complicated type B aortic dissections appeared to benefit from TEVR.

Invited Commentary

- 372 Commentary on “Mid-term Outcomes and Aortic Remodelling After TEVR for Acute, Sub-acute and Chronic Aortic Dissection: The Virtue Registry”
E.L.G. Verhoeven and A. Katsargyris
- 374 Influence of Cardiovascular Risk Factors on Levels of Matrix Metalloproteinases 2 and 9 in Human Abdominal Aortic Aneurysms
J.-F. Dilmé, S. Bellmunt, M. Camacho, D. Solà-Vilà, J.-M. Romero, J.-R. Escudero and L. Vila
Current smokers with AAA had increased levels of MMP-2, which may be associated with AAA expansion.
- 382 Impact of Hybrid Rooms with Image Fusion on Radiation Exposure during Endovascular Aortic Repair
A. Hertault, B. Maurel, J. Sobocinski, T. Martin Gonzalez, M. Le Roux, R. Azzaoui, M. Midulla and S. Haulon
Hybrid suites using CTA fusion imaging technology reduced radiation exposure to patients and operators.
- 391 **Editor's Choice** – Type II Endoleak: Conservative Management Is a Safe Strategy
CME *D.A. Sidloff, V. Gokani, P.W. Stather, E. Choke, M.J. Bown and R.D. Sayers*
A conservative approach to treating type II endoleaks after conventional EVAR was not associated with an increased risk of late aneurysm-related mortality.
- 400 Preliminary Results from a Prospective Study of Laparoscopic Aortobifemoral Bypass Using a Clampless and Sutureless Aortic Anastomotic Technique
B. Segers, D. Horn, J. Lemaitre, A. Roman, E. Stevens, V. Van Den Broeck, P. Hizette and T. Bosschaerts
Results of a laparoscopic clampless, sutureless technique for performing aortobifemoral bypass in patients with severe aortoiliac occlusive disease.
- 407 Hybrid Approach to Emergent and Urgent Treatment of Complex Thoracoabdominal Aortic Pathology
A. Gkremoutis, T. Schmandra, M. Meyn, T. Schmitz-Rixen and M. Keese
Hybrid treatment strategies in patients with emergency or urgent complex thoracoabdominal aortic pathology are feasible, but still associated with significant perioperative morbidity and mortality.

CONTENTS—continued

PERIPHERAL ARTERIAL DISEASE

- 414 Effect of Systemic Urokinase Infusion After Lower Limb Percutaneous Transluminal Angioplasty on Limb Salvage Rate in Patients with Late-stage Critical Limb Ischemia
H.-T. Yen, M.-J. Hsieh, C.-C. Wu and F.-Y. Lee
In a nonrandomized observational study, a five day infusion of urokinase after angioplasty was associated with significantly fewer amputations.
- 423 Significant Savings with a Stepped Care Model for Treatment of Patients with Intermittent Claudication
H.J.P. Fokkenrood, M.R.M. Scheltinga, M.J.W. Koelemay, J.C. Breek, F. Hasaart, A.C. Vahl and J.A.W. Teijink
A stepped care model promoting supervised exercise therapy followed by revascularization (if needed) would lead to major cost savings in claudicants.
- 430 Biochemical and Immunomorphological Evaluation of Hepatocyte Growth Factor and c-Met Pathway in Patients with Critical Limb Ischemia
F. Vasuri, S. Fittipaldi, M. Abualhin, A. Degiovanni, M. Gargiulo, A. Stella and G. Pasquinelli
The hepatocyte growth factor/c-MET pathway was significantly impaired in the ischemic skin of CLI patients.
- Invited Commentary**
- 438 Commentary on “Biochemical and Immunomorphological Evaluation of Hepatocyte Growth Factor and c-Met Pathway in Patients with Critical Limb Ischemia”
Regenerative Therapy of Chronically Ischaemic Wounds: Land in Sight?
R.S. von Allmen and F. Dick
- 440 Early Revascularization after Admittance to a Diabetic Foot Center Affects the Healing Probability of Ischemic Foot Ulcer in Patients with Diabetes
T. Elgzyri, J. Larsson, P. Nyberg, J. Thörne, K.-F. Eriksson and J. Apelqvist
Diabetic patients with ischemic ulcers benefitted from rapid revascularization strategies.
- 447 The Effect of Diabetes Mellitus on Costs and Length of Stay in Patients with Peripheral Arterial Disease Undergoing Vascular Surgery
M. Malone, N.S. Lau, J. White, A. Novak, W. Xuan, J. Iliopoulos, J. Crozier and H.G. Dickson
PAD patients with diabetes incurred significantly prolonged lengths of stay and treatment costs.

VENOUS DISEASE

- 452 The Influence of the CIVIQ Dimensions on Quality of Life of Patients with Primary Superficial Venous Incompetence
F. Ortega-Santana, J.M. Limiñana, F. Ruano, A. Ortega-Centol, A. Palomino-Martín and F. Jiménez
Pain and physical limitation were the main domains to influence quality of life in patients with primary varicose veins.
- 459 Characterization of a Bioprosthetic Bicuspid Venous Valve Hemodynamics: Implications for Mechanism of Valve Dynamics
W.-H. Tien, H.Y. Chen, Z.C. Berwick, J. Krieger, S. Chambers, D. Dabiri and G.S. Kassab
A computational model of a venous valve might facilitate the design and manufacture of a viable bioprosthetic valve.
- 465 Therapeutic Effect of Compression Stockings Versus no Compression on Isolated Superficial Vein Thrombosis of the Legs: A Randomized Clinical Trial
K. Boehler, H. Kittler, S. Stolkovich and S. Tzaneva
Three weeks of compression stockings (in addition to NSAIDs and low molecular weight heparin) did not reduce pain, thrombus length or erythema in patients with superficial venous thrombosis but no DVT.

CONTENTS—continued

MISCELLANEOUS

- 472 A Modified Approach of Proximalization of Arterial Inflow Technique for Hand Ischemia in Patients with Matured Basilic and Cephalic Veins
V. Matoussevitch, K. Konner, M. Gawenda, C. Schöler, K. Préalpe, V. Reichert and J. Brunkwall
A modification of a technique for proximalizing arteriovenous inflow in patients with dialysis related peripheral ischemia avoids the use of prosthetic conduits.
- 477 Asterios Katsamouris 1947–2014
A. Giannoukas and I. Tsolakis
- 478 Selected Abstracts from the October Issue of the Journal of Vascular Surgery
- 482 EJVES Extra Abstracts
- 485 Forthcoming Events

Editor's Choice: This paper has been selected by the Editor to be made available online as Open Access.



To access continuing medical education questions on this paper, please go to www.vascular education.com and click on 'CME'